




GOL PUMPS CO.

SELF-PRIMING CENTRIFUGAL SEWAGE PUMP PERFORMANCE CURVE GJT SERIES





PRIMING LIFT

RPM	650	750	850	950	1050	1150	1250	1350	1450	1550	1650	1750	1850	1950
FEET	5	8	16	19	22	24	25	25	25	25	25	25	25	25
METERS	1.5	2.4	4.9	5.5	6.7	7.3	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6



GJTD4-18504



G.P.T.CO



Outlet



GJT Series Performance Table													
Model	Speed	Capacity			Head		Power(kw)		Inlet	Solids		Repriming Lifts	
	rpm	m ³ /h	l/s	GAL/mi	m	FT	kW	HP	mm/in	mm	IN	m	FT
GJT4	650	40	11.1	175.9	3.5	11.5	1.1	1.5	100 (4'')	76	3	1.5	4.9
	750	45	12.5	198.1	5	16.4	1.5	2				2.4	7.9
	850	53	14.7	233.0	6	19.7	2.2	3				4.9	16.1
	950	60	16.7	264.7	7	23.0	3.7	5				5.5	18.0
	1050	65	18.1	286.9	9	29.5	5.5	7.5				6.7	22.0
	1150	72	20	317.0	10.5	34.4	5.5	7.5				7.3	23.9
	1250	80	22.2	351.9	12	39.4	7.5	10				7.6	24.9
	1350	85	23.6	374.1	14	45.9	11	15				7.6	24.9
	1450	100	27.8	440.6	16	52.5	11	15				7.6	24.9
	1550	110	30.6	485.0	18	59.0	15	20				7.6	24.9
	1650	115	31.9	505.6	20.5	67.2	15	20				7.6	24.9
	1750	120	33.3	527.8	23	75.4	18.5	25				7.6	24.9
	1850	130	36.1	572.2	24.5	80.4	18.5	25				7.6	24.9
	1950	135	37.5	594.4	28.5	93.5	22	30				7.6	24.9

G.P.T.CO

Gol pumps technology inc

6520Nw 77thCt ,Miami , Florida , USA

Tel. +1 (786)615-8984

E-mail info@golpumps.com

www.golpumps.com